SDS No.: RTVSE-6 Page 1 of 3

Issue Date: June 22, 2023

Safety Data Sheet

1. Identification

Product Name: FINE RTV SILICONE SPRAY NET.300ml

Product Code: FC-112

Manufacturer Name: FINECHEMICAL JAPAN CO.,LTD.

Address: 1-15-3 Fukuzumi, Koto-ku, Tokyo, Japan

TEL: 03-3643-8877 FAX: 03-3643-8890

Recommended use of the chemical and RTV silicone coating spray. For professional use. restrictions on use:

2. Hazards Identification

GHS Classification

Physical Hazards: Aerosols Category 1
Health Hazards: Skin Corrosion/Irritation Category 2
Serious eve damage/eve irritation Category 2A

Serious eye damage/eye irritation Category 2A Skin sensitization Category 1

Specific target organ toxicity Category 3 (Narcotic effects,

(single exposure) Respiratory tract irritancy)

Environmental Hazards: Acute aquatic hazard Category 3

Long-term aquatic hazard Category 3

*Other hazards are not classified, not applicable or classification not possible.

GHS Label Elements

Symbol:





Signal word: Danger

Hazard Statement: Extremely flammable aerosol

Pressurized container: may burst if heated

Causes skin irritation

May cause an allergic skin reaction Causes serious eye irritation May cause respiratory irritation May cause drowsiness or dizziness

Harmful to aquatic life with long lasting effects

3. Composition/Information on ingredients:

Substance/Mixture Mixture

Ingredient	Weight %	CAS No.	
	15.3		Contains
RTV Silicone rubber			Octamethylcyclotetrasiloxane
			(CAS No.556-67-2) up to 0.2%
Dialkyltin compound	0.2		
Cyclopentane	43.5	287-92-3	
Butane	18.0	106-97-8	
Propane	23.0	74-98-6	
Total	100.0		

SDS No.: RTVSE-6 Page 2 of 3

4. First – aid measures: IF ON SKIN: Wash with plenty of water and soap.

IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

Call a doctor if you feel unwell.

If skin irritation occurs: Get medical advice.

If skin irritation or rash occurs: Get medical advice.

If eye irritation persists: Get medical advice.

Take off contaminated clothing and wash it before reuse.

5. Fire Fighting Measures

Extinguishing Media: Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media:

Do not use water jet as an extinguisher.

Specific hazards arising from

Flammable liquid and vapor.

the chemical:

6. Accidental Release Measures Wear appropriate protective clothing.

Remove ignition sources.

Avoid release to the environment.

7. Handling and Storage

Handling: Keep away from heat/sparks/open flames/hot surfaces. No

smoking.

Do not spray on an open flame or other ignition source.

Do not pierce or burn, even after use.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wash hands thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing should not be allowed out of the

workplace.

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face

protection.

Storage: Store in a well-ventilated place. Store locked up.

Protect from sunlight. Do not expose to temperatures exceeding

40°C.

8. Exposure Controls/Personal Protection

ACGIH (TLV-TWA) Cyclopentane:600ppm, Butane:800ppm, Propane:1000ppm

Engineering Controls: Use adequate general and local exhaust ventilation to maintain

exposure levels below that exposure limits.

Personal Protection:

Skin Protection: Wear chemical resistant gloves.

Eye Protection: Safety goggles recommended where eye contact is possible.

Work/Hygiene Practices: Wash with soap and water after handling.

9. Physical and Chemical Properties

Appearance White translucent liquid Odor Organic solvent odor.

Boiling point $-42^{\circ}\text{C} \sim 49^{\circ}\text{C}$

Flash point Propellant -104°C, Base liquid -42°C

Explosion limit Lower 1.1% / Upper 9.5%

Pressure 0.36 MPa (25°C) Density 0.65 (20°C)

SDS No.: RTVSE-6 Page 3 of 3

10. Stability and Reactivity

Stability: Stable under normal conditions of storage and use.

Possibility of hazardous reactions: React with strong oxidizing agents.

Conditions to Avoid: Avoid heat, sparks, flames and other sources of ignition. Do not

puncture or incinerate containers.

Incompatibilities:: Strong oxidizing agents.

Hazardous Decomposition Products: Carbon monoxide and carbon dioxide.

11. Toxicological information

Acute toxicity:

Acute Oral toxicity:

Acute Dermal toxicity:

Acute Inhalation toxicity:

Irritation/Corrosion:

Not classified or classification not possible.

Not classified or classification not possible.

Not classified or classification not possible.

The mixture is classified as Category 2.

The mixture is classified as Category 2A.

Sensitization-Respiratory: The mixture is classified as Category 1 (Skin sensitization).

Germ cell mutagenicity:

Carcinogenicity:

Not classified or classification not possible.

Specific target organ toxicity

The mixture is classified as Category 3 (Respiratory tract irritancy,

(Single exposure) Narcotic effects)

Specific target organ toxicity Not classified or classification not possible.

(Repeated exposure)

Aspiration hazard: Not classified or classification not possible.

12. Ecological Information

Hazardous to the aquatic environment

Acute hazard

The mixture is classified as Category 3.

Hazardous to the aquatic environment

Long term hazard

The mixture is classified as Category 3.

13. Disposal Considerations

Make sure containers are empty before discarding.

Disposal should be in accordance with applicable regional, national

and local laws and regulations.

14. Transport Information

UN Number: 1950

Proper Shipping Name AEROSOLS, FLAMMABLE

UN Class CLASS 2.1

15. Regulatory Information

Follow all regulations in your country or region.

16. Other Information

Notice to reader

The information contained herein is based on all the information and data that we can obtain as of the date issued. However we do not give guarantee regarding the contents, physical or chemical properties, hazards or harm. All remarks and precautions are premised on ordinary handling and it is the user's responsibility to take enough considerations in case of particular use.