# Safety Data Sheet

### 1. Identification

Product Name:	NONSEIZE NET.420ml
Product Code:	FC-162
Manufacturer Name:	FINECHEMICAL JAPAN CO.,LTD.
Address:	1–15–3 Fukuzumi, Koto-ku, Tokyo, Japan
TEL:	03-3643-8877
FAX:	03-3643-8890

Recommended use of the chemical and Anti-seize lubricant for high temperature or high load. restrictions on use:

For professional use.

#### 2. Hazards Identification

GHS Classification		
Physical Hazards:	Aerosols	Category 1
Health Hazards:	Skin Corrosion/Irritation	Category 2
	Specific target organ toxicity (single exposure)	Category 3 Narcotic effects
Environmental Hazards:	Acute aquatic hazard	Category 3
	Long-term aquatic hazard	Category 3
*	Other hazards are not classified, no	ot applicable or classification not possible.

**GHS Label Elements** Symbol:

Signal word:

Danger

Hazard Statement:

Extremely flammable aerosol Pressurized container: may burst if heated Causes skin irritation May cause drowsiness or dizziness Harmful to aquatic life with long lasting effects

### 3. Composition/Information on ingredients:

Substance/Mixture	Mixture		
Ingredient	Weight %	CAS No.	
Aluminum powder	3.9	7429-90-5	
Graphite powder	1.6	7782-42-5	
Mineral oil	10.4	8002-05-9	
Mineral spirits	0.3	8052-41-3	
Stearic acid	0.2	57-11-4	
Cyclopentane	8.8	287-92-3	
Propane	15.0	74–98–6	
Butane	59.8	106-97-8	
Total	100.0		

4. First – aid measures:	IIF ON SKIN: Wash with plenty of water and soap. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell. If skin irritation occurs: Get medical advice. Take off contaminated clothing and wash it before reuse.
<b>5. Fire Fighting Measures</b> Extinguishing Media: Unsuitable extinguishing media: Specific hazards arising from the chemical:	Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher. Flammable liquid and vapor.
6. Accidental Release Measures	Wear appropriate protective clothing. Remove ignition sources. Avoid release to the environment.
7. Handling and Storage	Avoid release to the environment.
Handling:	<ul> <li>Keep away from heat/sparks/open flames/hot surfaces. No smoking.</li> <li>Do not spray on an open flame or other ignition source.</li> <li>Do not pierce or burn, even after use.</li> <li>Avoid breathing dust/fume/gas/mist/vapours/spray.</li> <li>Wash hands thoroughly after handling.</li> <li>Use only outdoors or in a well-ventilated area.</li> <li>Avoid release to the environment.</li> <li>Wear protective gloves/protective clothing/eye protection/face protection.</li> </ul>
Storage:	Store in a well-ventilated place. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 40°C.

### 8. Exposure Controls/Personal Protection

ACGIH (TLV-TWA)	Cyclopentane:600ppm, Mineral spirits:100ppm
	Butane:800ppm, Propane:1000ppm
Engineering Controls:	Use adequate general and local exhaust ventilation to maintain exposure levels below that exposure limits.
Personal Protection:	
Skin Protection:	Wear chemical resistant gloves.
Eye Protection:	Safety goggles recommended where eye contact is possible.
Work/Hygiene Practices:	Wash with soap and water after handling.

## 9. Physical and Chemical Properties

Appearance	Silver liquid
Odor	Organic solvent odor.
Boiling point	-42°C∼ 49°C
Flash point	Propellant -90°C, Base liquid -42°C
Explosion limit	Lower 1% / Upper 9%
Pressure	0.37MPa (25°C)
Density	0.62 (20°C)

## 10. Stability and Reactivity

Stability:	Stable under normal conditions of storage and use.
Possibility of hazardous reactions:	React with strong oxidizing agents.
Conditions to Avoid:	Avoid heat, sparks, flames and other sources of ignition. Do not puncture or incinerate containers.
Incompatibilities::	Strong oxidizing agents.
Hazardous Decomposition Products:	Carbon monoxide and carbon dioxide.

#### 11. Toxicological information

Acute toxicity:	
Acute Oral toxicity:	Not classified or classification not possible.
Acute Dermal toxicity:	Not classified or classification not possible.
Acute Inhalation toxicity:	Not classified or classification not possible.
Irritation/Corrosion:	The mixture is classified as Category 2.
Eye damage/Irritation:	Not classified or classification not possible.
Sensitization-Respiratory:	Not classified or classification not possible.
Germ cell mutagenicity:	Not classified or classification not possible.
Carcinogenicity :	Not classified or classification not possible.
Toxic to reproduction:	Not classified or classification not possible.
Specific target organ toxicity (Single exposure)	The mixture is classified as Category 3 Narcotic effects.
Specific target organ toxicity (Repeated exposure)	Not classified or classification not possible.
Aspiration hazard:	Not classified or classification not possible.

#### 12. Ecological Information

Hazardous to the aquatic environment	The mixture is classified as Category 3.
Acute hazard	
Hazardous to the aquatic environment	The mixture is classified as Category 3.
Long term hazard	

#### 13. Disposal Considerations

Make sure containers are empty before discarding. Disposal should be in accordance with applicable regional, national and local laws and regulations.

#### 14. Transport Information

UN Number:	1950
Proper Shipping Name	AEROSOLS, FLAMMABLE
UN Class	CLASS 2.1

#### 15. Regulatory Information

Follow all regulations in your country or region.

### 16. Other Information

#### Notice to reader

The information contained herein is based on all the information and data that we can obtain as of the date issued. However we do not give guarantee regarding the contents, physical or chemical properties, hazards or harm. All remarks and precautions are premised on ordinary handling and it is the user's responsibility to take enough considerations in case of particular use.