Safety Data Sheet

1. Identification

Product Name:	ANTISTATIC AGENT REP7 SPRAY NET.420m
Product Code:	FC-174

Manufacturer Name: Address: TEL: FAX:

FINECHEMICAL JAPAN CO., LTD. 1-15-3 Fukuzumi, Koto-ku, Tokyo, Japan 03-3643-8877 03-3643-8890

Recommended use of the chemical and Antistatic agent for plastic parts. For professional use. restrictions on use:

2. Hazards Identification

GHS Classification	
Physical Hazards:	
Health Hazards:	

Aerosols	Category 1
Serious eye damage/eye irritation	Category 2B
Specific target organ toxicity	Category 3 (N
(single exposure)	effects, Respiratory
	irritancy)
Specific target organ toxicity	Category 1 (Liver)

(repeated exposure)

Narcotic y tract Category 2 (Central nervous system)

*Other hazards are not classified, not applicable or classification not possible.

GHS Label Elements Symbol:



Signal word:

Danger

Hazard Statement:	Extremely flammable aerosol	
	Pressurized container: may burst if heated	
	Causes eye irritation	
	May cause respiratory irritation	
	May cause drowsiness or dizziness	
	Causes damage to organs through prolonged or repeated exposure	
	May cause damage to organs through prolonged or repeated	
	exposure	

3. Composition/Information on ingredients:

Substance/Mixture	Mixture		
Ingredient	Weight %	CAS No.	
Ethanol	40 - 50	64-17-5	
Butane	40 - 50	106-97-8	
Propane	5 - 15	74-98-6	

4. First – aid measures:	 IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice. Call a POISON doctor if you feel unwell. Get medical advice if you feel unwell. If eye irritation persists: Get medical advice.
5. Fire Fighting Measures Extinguishing Media: Unsuitable extinguishing media: Specific hazards arising from the chemical:	Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher. Flammable liquid and vapor.
 Accidental Release Measures Handling and Storage Handling: 	Wear appropriate protective clothing. Remove ignition sources. Avoid release to the environment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. No smoking. Do not spray on an open flame or other ignition source.
Storage:	Do not pierce or burn, even after use. Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. Store in a well-ventilated place. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding
8. Exposure Controls/Personal Pr ACGIH (TLV-TWA)	40°C. rotection Ethanol: 1000ppm
Engineering Controls:	Use adequate general and local exhaust ventilation to maintain exposure levels below that exposure limits.

Personal Protection:	
Skin Protection:	Wear chemical resistant gloves.
Eye Protection:	Safety goggles recommended where eye contact is possible.
Work/Hygiene Practices:	Wash with soap and water after handling.
Skin Protection: Eye Protection:	Safety goggles recommended where eye contact is possible

9. Physical and Chemical Properties

Appearance	Clear solvent
Odor	Organic solvent odor.
Boiling point	-42°C ~ 78°C
Flash point	Propellant −90°C, Base liquid 12°C
Explosion limit	Lower 1.8% / Upper 19%
Pressure	0.4 MPa (25°C)
Density	0.65 (20°C)

10. Stability and Reactivity

Stability:	Stable under normal conditions of storage and use.
Possibility of hazardous reactions:	React with strong oxidizing agents.
Conditions to Avoid:	Avoid heat, sparks, flames and other sources of ignition. Do not puncture or incinerate containers.
Incompatibilities::	Strong oxidizing agents.
Hazardous Decomposition Products:	Carbon monoxide and carbon dioxide.

11. Toxicological information

Acute toxicity:		
Acute Oral toxicity:	Not classified or classification not possible.	
Acute Dermal toxicity:	Not classified or classification not possible.	
Acute Inhalation toxicity:	Not classified or classification not possible.	
Irritation/Corrosion:	Not classified or classification not possible.	
Eye damage/Irritation:	The mixture is classified as Category 2B	
Sensitization-Respiratory:	Not classified or classification not possible.	
Germ cell mutagenicity:	Not classified or classification not possible.	
Carcinogenicity:	Not classified or classification not possible.	
Toxic to reproduction:	Not classified or classification not possible.	
Specific target organ toxicity	The mixture is classified as Category 3 (Narcotic effects,	
(Single exposure)	Respiratory tract irritancy)	
Specific target organ toxicity	The mixture is classified as Category 1 (Liver),	
(Repeated exposure)	Category 2 (Central nervous system)	
Aspiration hazard:	Not classified or classification not possible.	

12. Ecological Information

Hazardous to the aquatic environment	Not classified or classification not possible.
Acute hazard	
Hazardous to the aquatic environment	Not classified or classification not possible.
Long term hazard	

13. Disposal Considerations

Make sure containers are empty before discarding. Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. Transport Information

UN Number: Proper Shipping Name UN Class 1950 AEROSOLS, FLAMMABLE CLASS 2.1

15. Regulatory Information

Follow all regulations in your country or region.

16. Other Information

Notice to reader

The information contained herein is based on all the information and data that we can obtain as of the date issued. However we do not give guarantee regarding the contents, physical or chemical properties, hazards or harm. All remarks and precautions are premised on ordinary handling and it is the user's responsibility to take enough considerations in case of particular use.